



FORESTRY VEHICLE APPLICATIONS

Approval no: .....  
 Approval date: .....

|                                       |    |                                 |      |
|---------------------------------------|----|---------------------------------|------|
| <b>VEHICLE SPECIFICATION</b>          |    | Differential type.....          |      |
| <b>Customers</b> .....                |    | Tires.....                      |      |
| <b>Address</b> .....                  |    | Loaded radius.....              | mm   |
| <b>Contact person</b> .....           |    | Rolling radus.....              | mm   |
| <b>Tel.</b> .....                     |    | Wheel track.....                | mm   |
| <b>Fax</b> .....                      |    | Flange to flange.....           | mm   |
| <b>Vehicle type</b> .....             |    | Mounting center.....            | mm   |
| <b>Modell</b> .....                   |    | Transfer case:                  |      |
| <b>Engine:</b> Diesel Gas Elect       |    | Low ratio.....                  |      |
| Manufactuer.....                      |    | Overdrive.....                  |      |
| Power.....                            | kW | Disconnect Front Rear None      |      |
| Torque.....                           | Nm | <b>OPERATIONAL DATA AND</b>     |      |
| RPM.....                              |    | <b>WEIGHTS</b>                  |      |
| <b>Transmission:</b> Automatic Manual |    | <b>Speed of vehicle:</b>        |      |
| Hydrostatic Hydrodynamic              |    | On road Empty.....              | km/h |
| Converter stall ratio.....            |    | Loaded.....                     | km/h |
| Ratios.....                           |    | Off road Empty.....             | km/h |
| Manufact.....                         |    | Loaded.....                     | km/h |
| Max output torque.....                | Nm | <b>Vehicle net weight:</b>      |      |
| RPM.....                              |    | Total.....                      | kg   |
| <b>Front axles:</b> Bogie Yes No      |    | Front.....                      | kg   |
| Rigid axles Yes No                    |    | Rear.....                       | kg   |
| Ratio.....                            |    | <b>Max load on vehicle:</b>     |      |
| Rotation viewed into pinion CCW CW    |    | Total.....                      | kg   |
| Differential type.....                |    | Front.....                      | kg   |
| Tires.....                            |    | Rear.....                       | kg   |
| Loaded radius.....                    | mm | <b>Total weight vehicle:</b>    |      |
| Rolling radius.....                   | mm | Total.....                      | kg   |
| Wheel track.....                      | mm | Front.....                      | kg   |
| Flange to flange.....                 | mm | Rear.....                       | kg   |
| Mounting center.....                  | mm | <b>Max vertical wheel load:</b> |      |
| <b>Rear axles:</b> Bogie Yes No       |    | Front.....                      | kg   |
| Rigid axles Yes No                    |    | Rear.....                       | kg   |
| Ratio.....                            |    | <b>Max side wheel load:</b>     |      |
| Rotation viewed into pinion CCW CW    |    | Front.....                      | kg   |
|                                       |    | Rear.....                       | kg   |

Box 192  
 891 24  
 Sweden

Tel +46 660-375350  
 Fax +46 660-375302

